

**DOCKET NO.: UPN-4566**

**PATENT**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

**In Re Application of:**

**Charles L. Epstein et al.**

**Confirmation No.: 6011**

**Patent No.: 7,436,175 B2**

**Issued: October 14, 2008**

**Application No.: 10/538,361**

**Filing Date: October 20, 2005**

**For: PRACTICE PULSE SYNTHESIS VIA THE DISCRETE INVERSE  
SCATTERING TRANSFORM**

Commissioner for Patents  
Attn: Certificate of Correction Branch  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

**REQUEST FOR CERTIFICATE OF CORRECTION  
PURSUANT TO 37 CFR § 1.322 & 37 CFR § 1.323**

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent. The patent has **thirty-eight** errors; **thirty-seven** of which occurred through the fault of the Patent and Trademark Office, and **one** error was the fault of the applicant. Applicant's error occurred in good faith and are of a clerical or typographical nature, or minor character, and are not believed to constitute new matter or require examination.

Enclosed herewith please find a completed Certificate of Correction form.

- ☒ Please charge Deposit Account No. 23-3050 in the amount of **\$100.00**.
- ☐ A check in the amount of **\$100.00** is attached.
- ☒ The Commissioner is hereby authorized to charge any deficiency or credit any overpayment of the fees associated with this communication to Deposit Account No. 23-3050.

**DOCKET NO.: UPN-4566**

**PATENT**

Date: March 17, 2010

/Michael P. Dunnam/  
Michael P. Dunnam  
Registration No. 32,611

Woodcock Washburn LLP  
Cira Centre  
2929 Arch Street, 12th Floor  
Philadelphia, PA 19104-2891  
Telephone: (215) 568-3100  
Facsimile: (215) 568-3439